

Annual Drinking Water Quality Report for 2023
North Creek Water District
Johnsburg, Warren County
(Public Water Supply ID# 5600109)

INTRODUCTION

To comply with State regulations, North Creek Water District, will be annually issuing a report describing the quality of your drinking water. The purpose of this report is to raise your understanding of drinking water and awareness of the need to protect our drinking water sources. This report provides an overview of last year's water quality. Included are details about where your water comes from, what it contains, and how it compares to State standards.

If you have any questions about this report or concerning your drinking water, please contact Charlie Rawson, Water System Operator (518)623-5500 or (518)251-3765.

We want you to be informed about your drinking water. If you want to learn more, please attend any of our regularly scheduled Town board meetings. The meetings are held monthly per the schedule found at the town hall and or on the town website.

WHERE DOES OUR WATER COME FROM?

In general, the sources of drinking water (both tap water and bottled water) include rivers, lakes, streams, ponds, reservoirs, springs, and wells. As water travels over the surface of the land or through the ground, it dissolves naturally occurring minerals and, in some cases, radioactive material, and can pick up substances resulting from the presence of animals or from human activities. Contaminants that may be present in source water include: microbial contaminants; inorganic contaminants; pesticides and herbicides; organic chemical contaminants; and radioactive contaminants. In order to ensure that tap water is safe to drink, the State and the EPA prescribe regulations which limit the amount of certain contaminants in water provided by public water systems. The State Health Department's and the FDA's regulations establish limits for contaminants in bottled water which must provide the same protection for public health.

Our water system serves 1100 people through 350 service connections. Our water source is 3 ground water wells, 4R, 5, & 6 which are all located in the same aquifer. We have two 100,000 gallon tanks and one 200,000 gallon tank which are used for storage. The water is treated with chlorine for disinfection and orthophosphate for corrosion control prior to distribution. During 2023 the system pumped an average of 96,901 gallons per day with a total amount of 35,369,100 gallons of treated water.

The NYS DOH has completed a source water assessment for this system based on available information. Possible and actual threats to this drinking water source were evaluated. The state source water assessment includes a susceptibility rating based on the risk posed by each potential source of contamination and how easily contaminants can move through the subsurface to the wells. The susceptibility rating is an estimate of the potential for contamination of the source water, it does not mean that the water delivered to consumers is, or will become contaminated. See the section "Are

there contaminants in our drinking water?" For a list of the contaminants that have been detected. The source water assessments provide resource managers with additional information for protecting source waters into the future.

The source water assessment has rated our water source as having an elevated susceptibility to microbials, salts, sulfate, nitrate, industrial solvents, and other industrial contaminants. These ratings are due primarily to close proximity of the wells to discharge facilities (industrial/commercial facilities that discharge wastewater into the environment and are regulated by the state and/or federal government). In addition, the wells draw from an unconfined aquifer, which is a shallow aquifer that occurs immediately below the ground surface and has minimal overlying layer to protect it from potential sources of contamination. While the source water assessment rates our wells as being susceptible to microbials, please note that our water is disinfected to ensure that the finished water delivered into your home meets New York State's drinking water standards for microbial contamination. Public notification is required if regulated contaminants are found in our water, and increased monitoring may result.

The state health department will use this information to direct future source water protection activities. These may include water quality monitoring, resource management, planning, and education programs. A copy of the assessment, including a map of the assessment area, can be obtained by contacting us, as noted below.

ARE THERE CONTAMINANTS IN OUR DRINKING WATER?

As the State regulations require, we routinely test your drinking water for numerous contaminants. These contaminants include: total coliform, turbidity, inorganic compounds, nitrate, nitrite, lead and copper, volatile organic compounds, total trihalomethanes, haloacetic acids, radiological and synthetic organic compounds. The State allows us to test for some contaminants less than once per year because the concentrations of these contaminants do not frequently change. Some of our data, though representative, are more than one year old.

It should be noted that all drinking water, including bottled drinking water, may be reasonably expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the EPA's Safe Drinking Water Hotline (800-426-4791) or the Glens Falls office, New York State Department of Health at (518) 793-3893.

As the State regulations require, we routinely test your drinking water for numerous contaminants. These contaminants include: total coliform, turbidity, inorganic compounds, nitrate, nitrite, lead and copper, volatile organic compounds, total trihalomethanes, and synthetic organic compounds.

During 2021 the DOH required our water system to test for PFOA, PFOS and 1-4 Dioxane once each quarter. The requirement stated that if we had two consecutive samples with N/D (No Detect) we were able to stop our testing for 2021 and test annually thereafter. Our first and second quarter sample results showed N/D.

Table of Detected Contaminants							
Contaminant	Violation Yes/No	Date of Sample	Level Detected (Avg/Max) (Range)	Unit Measure- ment	MCL G	Regulatory Limit (MCL, TT or AL)	Likely Source of Contamination
Inorganic Compounds							
Barium	No	12/21/23	<0.020	ug/l	2000	2000 (MCL)	Discharge of drilling wastes; Discharge from metal refineries; Erosion of natural deposits.
Chloride	No	12/21/23	6.0	mg/l	N/A	250 (MCL)	Naturally occurring or indicative of road salt contamination.
Sodium	No	12/21/23	4.6 ³	mg/l	N/A	N/A	
Sulfate	No	12/21/23	3.4	mg/l	N/A	250 (MCL)	Naturally occurring.
Nitrate	No	9/19/23	0.43	mg/l	10	10(MCL)	Runoff from fertilizer use; Leaching from septic tanks, sewage; Erosion of natural deposits.
Copper	No	9/29/21	0.52 ¹ (0.14- 0.57) ²	mg/l	1.3	1.3 (AL)	Corrosion of household plumbing systems
Lead	No	9/29/21	1.2 ¹ (ND-2.4) ²	mg/l	1.3	15 (AL)	Corrosion of household plumbing systems
Stage 2 Disinfection Byproducts							
Total Haloacetic Acids	No	7/27/23	3.2	ug/l	n/a n/a	60 (MCL)	Byproduct of drinking water chlorination needed to kill harmful organisms.
Total Trihalomethanes	No	7/27/23	2.5	ug/l	n/a n/a	80 (MCL)	Byproduct of drinking water chlorination needed to kill harmful organisms.
Radiologicals							
Gross Alpha	No	12/29/20	0.018	Pci/l	3	15	Naturally occurring, indicative of improper storage
Radium 226	No	12/29/20	0.115	Pci/l	3	5	Naturally occurring, indicative of improper storage
Radium 228	No	12/29/20	ND	Pci/l	1	5	Naturally occurring, indicative of improper storage

Notes:

1 - The level presented represents the 90th percentile of the 10 sites tested in September 2021. A percentile is a value on a scale of 100 that indicates the percent of a distribution that is equal to or below it. The 90th percentile is equal to or greater than 90% of the copper or lead values detected at your water system. In this case, 10 samples were collected at your water system and the 90th percentile value was the 2nd highest sample result. The Action Levels for lead and copper were not exceeded at any of the sites that were tested.

2 - The number presented represents the range of lead and copper sample results (lowest to highest).

3 - Water containing more than 20 mg/l of sodium should not be used for drinking by people on severely restricted sodium diets.

4 - Our PFOA, PFOS and 1 - 4 Dioxane samples showed NO Detect of any of these contaminants and we are now on a yearly sample schedule.

Definitions:

Maximum Contaminant Level (MCL): The highest level of a contaminant that is allowed in drinking water. MCLs are set as close to the MCLGs as feasible.

Maximum Contaminant Level Goal (MCLG): The level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety.

Maximum Residual Disinfectant Level (MRDL): The highest level of a disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary for control of microbial contaminants.

Maximum Residual Disinfectant Level Goal (MRDLG): The level of a drinking water disinfectant below which there is no known or expected risk to health. MRDLGs do not reflect the benefits of the use of disinfectants to control microbial contamination.

Action Level (AL): The concentration of a contaminant which, if exceeded, triggers treatment or other requirements which a water system must follow.

Treatment Technique (TT): A required process intended to reduce the level of a contaminant in drinking water.

Non-Detects (ND): Laboratory analysis indicates that the constituent is not present.

Nephelometric Turbidity Unit (NTU): A measure of the clarity of water. Turbidity in excess of 5 NTU is just noticeable to the average person.

Milligrams per liter (mg/l): Corresponds to one part of liquid in one million parts of liquid (parts per million - ppm).

Micrograms per liter (ug/l): Corresponds to one part of liquid in one billion parts of liquid (parts per billion - ppb).

Nanograms per liter (ng/l): Corresponds to one part of liquid to one trillion parts of liquid (parts per trillion - ppt).

Picograms per liter (pg/l): Corresponds to one part per of liquid to one quadrillion parts of liquid (parts per quadrillion - ppq).

Picocuries per liter (pCi/L): A measure of the radioactivity in water.

Millirems per year (mrem/yr): A measure of radiation absorbed by the body.

Million Fibers per Liter (MFL): A measure of the presence of asbestos fibers that are longer than 10 micrometers.

WHAT DOES THIS INFORMATION MEAN?

As you can see by the table, our system had no contamination violations. We have learned through our testing that some contaminants have been detected; however, these contaminants were detected below New York State requirements.

INFORMATION ON LEAD

Lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. *North Creek Water District* is responsible for providing high quality drinking water and removing lead pipes, but cannot control the variety of materials used in plumbing components in your home. You share the responsibility for protecting yourself and your family from the lead in your home plumbing. You can take responsibility by identifying and removing lead materials within your home plumbing and taking steps to reduce your family's risk. Before drinking tap water, flush your pipes for several minutes by running your tap, taking a shower, doing laundry or a load of dishes. You can also use a filter certified by an American National Standards Institute accredited certifier to reduce lead in drinking water. If you are concerned about lead in your water and wish to have your water tested, contact *North Creek Water District* at 518-623-5500, 518-251-3765. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available at <http://www.epa.gov/safewater/lead>.

IS OUR WATER SYSTEM MEETING OTHER RULES THAT GOVERN OPERATIONS?

In 2023, North Creek Water District was in compliance with all monitoring and reporting requirements.

DO I NEED TO TAKE SPECIAL PRECAUTIONS?

Although our drinking water met or exceeded state and federal regulations, some people may be more vulnerable to disease causing microorganisms or pathogens in drinking water than the general population. Immuno-compromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly, and infants can be particularly at risk from infections. These people should seek advice from their health care provider about their drinking water. EPA/CDC guidelines on appropriate means to lessen the risk of infection by Cryptosporidium, Giardia and other microbial pathogens are available from the Safe Drinking Water Hotline (800-426-4791).

WHY SAVE WATER AND HOW TO AVOID WASTING IT?

Although our system has an adequate amount of water to meet present and future demands, there are a number of reasons why it is important to conserve water:

- ◆ Saving water saves energy and some of the costs associated with both of these necessities of life;
- ◆ Saving water reduces the cost of energy required to pump water and the need to construct costly new wells, pumping systems and water towers; and
- ◆ Saving water lessens the strain on the water system during a dry spell or drought, helping to avoid severe water use restrictions so that essential firefighting needs are met.

You can play a role in conserving water by becoming conscious of the amount of water your household is using, and by looking for ways to use less whenever you can. It is not hard to conserve water. Conservation tips include:

- ◆ Automatic dishwashers use 15 gallons for every cycle, regardless of how many dishes are loaded. So get a run for your money and load it to capacity.
- ◆ Turn off the tap when brushing your teeth.
- ◆ Check every faucet in your home for leaks. Just a slow drip can waste 15 to 20 gallons a day. Fix it and you can save almost 6,000 gallons per year.
- ◆ Check your toilets for leaks by putting a few drops of food coloring in the tank, watch for a few minutes to see if the color shows up in the bowl. It is not uncommon to lose up to 100 gallons a day from one of these otherwise invisible toilet leaks. Fix it and you save more than 30,000 gallons a year.

CLOSING

Thank you for allowing us to continue to provide your family with quality drinking water this year. In order to maintain a safe and dependable water supply we sometimes need to make improvements that will benefit all of our customers. We ask that all our customers help us protect our drinking water source. If you have any questions regarding the information presented in this report, please do not hesitate to contact Charlie Rawson Water System Operator at (518) 623-5500 or (518)251-3765.

